

Author Index

- Acharjee, D. K., 105
Alper, E., 37
Arandes, J. M., 115
Aust, E., 179
- Beschkov, V., 191
Bilbao, J., 115
- Deák, A., 61
Dehlke, K., 179
Díaz, J. M., B23
- Eduljee, G. H., 1
Emig, G., 179
- Krishna, R., 75
- Gabitto, J. F., 69
- Havas, G., 61
Havsteen, B., 123
Hayashi, S., 51
Hemati M., 147, 157
Herman, J. M., 25, 83
Hiraguchi, H., 169
- Ishii, T., 169
- Jain, R. C., 105
Ju, S.-J., 9
- Krishna, R., 19, 67
Kubota, K., 51
- Laguerie, C., 147, 157
Lemcoff, N. O., 69
Lombrana, J. I., B23
Lorenz, T., B15
Lu, W.-M., 9
- Masaki, H., 51
Mavituna, F., B9
- Nikov, I., 191
- Ogboja, O., 43
Olazar, M., 115
- Palla, M. A., 37
Park, J. M., B9
Pons, M.-N., 201
- Remero, A., 115
Robertson, C. R., B1
Rocourt, A. P. A. F., 83
- Salmon, P. M., B1
Sawinsky, J., 61
Schmidt, W., B15
Scholten, J. J. F., 25, 83
Schügerl, K., B15
Sen Gupta, P., 105
Shibata, Y., 51
Stamatoudis, M., 137
Stoyanova, P., 191
- Takahashi, K., 51
Tavlarides, L. L., 137
Tosun, I., 65
- van den Berg, P. J., 25
van Krugten, P. J., 25, 83
Vetere, A., 211, 215
- Wakao, H., 169
Willis, M. S., 65

Author Index

- Acharjee, D. K., 105
Alper, E., 37
Arandes, J. M., 115
Aust, E., 179

Beschkov, V., 191
Bilbao, J., 115

Deák, A., 61
Dehlke, K., 179
Díaz, J. M., B23

Edujee, G. H., 1
Emig, G., 179

Krishna, R., 75

Gabbitto, J. F., 69

Havas, G., 61
Havsteen, B., 123
Hayashi, S., 51
Hemati M., 147, 157
Herman, J. M., 25, 83
Hiraguchi, H., 169

Ishii, T., 169

Jain, R. C., 105
Ju, S.-J., 9

Krishna, R., 19, 67
Kubota, K., 51

Laguerie, C., 147, 157
Lemcoff, N. O., 69
Lombrana, J. I., B23
Lorenz, T., B15
Lu, W.-M., 9

Masaki, H., 51
Mavituna, F., B9

Nikov, I., 191

Ogboja, O., 43
Olazar, M., 115

Palla, M. A., 37
Park, J. M., B9
Pons, M.-N., 201

Remero, A., 115
Robertson, C. R., B1
Rocourt, A. P. A. F., 83

Salmon, P. M., B1
Sawinsky, J., 61
Schmidt, W., B15
Scholten, J. J. F., 25, 83
Schügerl, K., B15
Sen Gupta, P., 105
Shibata, Y., 51
Stamatoudis, M., 137
Stoyanova, P., 191

Takahashi, K., 51
Tavlarides, L. L., 137
Tosun, I., 65

van den Berg, P. J., 25
van Krugten, P. J., 25, 83
Vetere, A., 211, 215

Wakao, H., 169
Willis, M. S., 65

Subject Index

- Aerated stirred tank
 - local gas holdup, mean liquid velocity and turbulence in an aerated stirred tank using hot-film anemometry, 9
- Agitated vessels
 - heat transfer of helical coils in agitated vessels, 61
- Alcohols
 - correlating the fluidity of some n-alcohols using a modified free volume equation, 1
- Anemometry
 - local gas holdup, mean liquid velocity and turbulence in an aerated stirred tank using hot-film anemometry, 9
- Batch freeze-drier
 - heat programming to improve efficiency in a batch freeze-drier, B23
- Batch isothermal stirred tank
 - simulation of crystallization from aqueous super-saturated solutions in a batch isothermal stirred tank, 169
- Boundary layer
 - kinetics of formation of a flow-inhibiting boundary layer in liquid-solid filtration, 123
- Carbon
 - oxidation of aqueous sodium sulphide solutions containing fine activated carbon particles at elevated temperatures, 37
- Catalysts
 - industrial hydroformylation of olefins with rhodium-based supported liquid phase catalyst (SLPC),
 - Part V: The formation of 2-ethyl-2-hexenal and propane: extrinsic catalyst poisoning, 25
 - industrial hydroformylation of olefins with rhodium-based supported liquid phase catalyst (SLPC),
 - Part VI: General predesign of a large-scale SLPC plant for hydroformylation of propylene, 83
 - kinetic study of the regeneration of solid catalysts under internal diffusion restrictions, 115
- Chromatographic response curves
 - simulation and evaluation of chromatographic response curves using various methods, 179
- Computer-aided design
 - procedure for computer-aided design of water-cooling towers, 43
- Critical temperatures
 - estimation of the critical temperatures and pressures of organic compounds by using the Rackett equation, 211
- Critical volumes
 - methods for the estimation of critical volumes, 215
- Crystallization
 - simulation of crystallization from aqueous super-saturated solutions in a batch isothermal stirred tank, 169
- Culture
 - size distribution of plant cell aggregates in batch culture, B9
- Diffusion
 - diffusion in multicomponent electrolyte systems, 19
- Diffusivities
 - electrochemical determination of diffusivities in non-newtonian power-law fluids by a rotating Geiss body, 191
- Dusty gas model
 - simplified procedure for the solution of the dusty gas model equations for steady-state transport in non-reacting systems, 75
- Electrochemical determination
 - electrochemical determination of diffusivities in non-newtonian power-law fluids by a rotating Geiss body, 191
- Electrolyte
 - diffusion in multicomponent electrolyte systems, 19
- Efficiency
 - heat programming to improve efficiency in a batch freeze-drier, B23
- Fermentation
 - sampling devices in fermentation technology: a review, B15
- Filter cake geometry
 - effect of filter cake geometry on average porosity, 65
- Fluidity
 - correlating the fluidity of some n-alcohols using a modified free volume equation, 1
- Gas holdup
 - local gas holdup, mean liquid velocity and turbulence in an aerated stirred tank using hot-film anemometry, 9
- Geiss body
 - electrochemical determination of diffusivities in non-newtonian power-law fluids by a rotating Geiss body, 191
- Heat programming
 - heat programming to improve efficiency in a batch freeze-drier, B23
- Helical coils
 - heat transfer of helical coils in agitated vessels, 61
- Hexenal
 - industrial hydroformylation of olefins with rhodium-based supported liquid phase catalyst (SLPC),
 - Part V: The formation of 2-ethyl-2-hexenal

- and propane: extrinsic catalyst poisoning, 25
- High temperatures
 - kinetic study of the pyrolysis of wood at high temperatures in a thermobalance, 147, 157
- Hydroformylation
 - industrial hydroformylation of olefins with rhodium-based supported liquid phase catalyst (SLPC),
 - Part V: The formation of 2-ethyl-2-hexenal and propane: extrinsic catalyst poisoning, 25
- Industrial hydroformylation
 - industrial hydroformylation of olefins with rhodium-based supported liquid phase catalyst (SLPC),
 - Part V: The formation of 2-ethyl-2-hexenal and propane: extrinsic catalyst poisoning, 25
 - industrial hydroformylation of olefins with rhodium-based supported liquid phase catalyst (SLPC),
 - Part VI: General predesign of a large-scale SLPC plant for hydroformylation of propylene, 83
- Internal diffusion restrictions
 - kinetic study of the regeneration of solid catalysts under internal diffusion restrictions, 115
- Jet contactor
 - some studies in the leaching of rock phosphate in a jet contactor, 105
- Kinetics
 - kinetics of formation of a flow-inhibiting boundary layer in liquid-solid filtration, 123
 - kinetic study of the pyrolysis of wood at high temperatures in a thermobalance, 147, 157
- Kinetic study
 - kinetic study of the regeneration of solid catalysts under internal diffusion restrictions, 115
- Mass transfer coefficients
 - local solid-liquid mass transfer coefficients in a trickle bed reactor, 69
 - physical significance of the mass transfer coefficient, 67
- Membranes
 - Monte Carlo model of microporous plane membranes, 201
- Microporous plane membranes
 - Monte Carlo model of microporous plane membranes, 201
- Monte Carlo model
 - Monte Carlo model of microporous membranes, 201
- Non-newtonian power-law fluids
 - electrochemical determination of diffusivities in non-newtonian power-law fluids by a rotating Geiss body, 191
- Olefins
 - industrial hydroformylation of olefins with rhodium-based supported liquid phase catalyst (SLPC),
 - Part V: The formation of 2-ethyl-2-hexenal and propane: extrinsic catalyst poisoning, 25
 - industrial hydroformylation of olefins with rhodium-based supported liquid phase catalyst (SLPC),
 - Part VI: General predesign of a large-scale SLPC plant for hydroformylation of propylene, 83
- Part V: The formation of 2-ethyl-2-hexenal and propane: extrinsic catalyst poisoning, 25
- industrial hydroformylation of olefins with rhodium-based supported liquid phase catalyst (SLPC),
 - Part VI: General predesign of a large-scale SLPC plant for hydroformylation of propylene, 83
- Organic compounds
 - estimation of the critical temperatures and pressures of organic compounds by using the Rackett equation, 211
- Oxidation
 - oxidation of aqueous sodium sulphide solutions containing fine activated carbon particles at elevated temperatures, 37
- Packed bed
 - theoretical model for the estimation of the effective thermal conductivity of a packed bed of fine particles, 51
- Plant cell aggregates
 - size distribution of plant cell aggregates in batch culture, B9
- Poisoning
 - industrial hydroformylation of olefins with rhodium-based supported liquid phase catalyst (SLPC),
 - Part V: The formation of 2-ethyl-2-hexenal and propane: extrinsic catalyst poisoning, 25
- Porosity
 - effect of filter cake geometry on average porosity, 65
- Propane
 - industrial hydroformylation of olefins with rhodium-based supported liquid phase catalyst (SLPC),
 - Part V: The formation of 2-ethyl-2-hexenal and propane: extrinsic catalyst poisoning, 25
- Propylene
 - industrial hydroformylation of olefins with rhodium-based supported liquid phase catalyst (SLPC),
 - Part VI: General predesign of a large-scale SLPC plant for hydroformylation of propylene, 83
- Pyrolysis
 - kinetic study of the pyrolysis of wood at high temperatures in a thermobalance, 147, 157
- Rackett equation
 - estimation of the critical temperatures and pressures of organic compounds by using the Rackett equation, 211
- Rhodium
 - industrial hydroformylation of olefins with rhodium-based supported liquid phase catalyst (SLPC),
 - Part V: The formation of 2-ethyl-2-hexenal and propane: extrinsic catalyst poisoning, 25
 - industrial hydroformylation of olefins with rhodium-based supported liquid phase catalyst (SLPC),
 - Part VI: General predesign of a large-scale SLPC plant for hydroformylation of propylene, 83

- Rock phosphate
 - some studies in the leaching of rock phosphate in a jet contactor, 105
- Sampling devices
 - sampling devices in fermentation technology: a review, B15
- Sodium sulphide
 - oxidation of aqueous sodium sulphide solutions containing fine activated carbon particles at elevated temperatures, 37
- Steady-state transport
 - simplified procedure for the solution of the dusty gas model equations for steady-state transport in non-reacting systems, 75
- Supersaturated solutions
 - simulation of crystallization from aqueous supersaturated solutions in a batch isothermal stirred tank, 169
- Thermal conductivity
 - theoretical model for the estimation of the effective thermal conductivity of a packed bed of fine particles, 51
- Thermobalance
 - kinetic study of the pyrolysis of wood at high temperatures in a thermobalance, 147, 157
- Trickle bed reactor
 - local solid-liquid mass transfer coefficients in a trickle bed reactor, 69
- Turbulence
 - local gas holdup, mean liquid velocity and turbulence in an aerated stirred tank using hot-film anemometry, 9
- Unsteady state behavior
 - effect of continuous-phase viscosity on the unsteady state behavior of liquid-liquid agitated dispersions, 137
- Velocity
 - local gas holdup, mean liquid velocity and turbulence in an aerated stirred tank using hot-film anemometry, 9
- Viscosity
 - effect of continuous-phase viscosity on the unsteady state behavior of liquid-liquid agitated dispersions, 137
- Water-cooling towers
 - procedure for computer-aided design of water-cooling towers, 43
- Wood
 - kinetic study of the pyrolysis of wood at high temperatures in a thermobalance, 147, 157